# Application for a Permit to Construct or Demolish This form is authorized under subsection 8(1.1) of the Building Code Act.

	For use by	Principa	I Authority						
Application number:		Permit ı	number (if differ	ent):					
Date received:		Roll nur	mber:						
Application submitted to: THE COR (Name of municipali	PORATIC	<b>DN OF</b>	THE TOV	VN OF	FORT ERII	<u> </u>			
A. Project information									
Building number, street name					Unit number	Lot/con.			
Municipality	Postal code		Plan number/	other des	cription	·			
Project value est. \$		Area of work	(m²)						
B. Purpose of application									
New construction Addition t existing b	o an wilding	Altera	ation/repair		Demolition	Conditional Permit			
Proposed use of building	ent use of	<sup>t</sup> building							
Description of proposed work				_					
C. Applicant Applicant is:	Owner or	[	Authorized	d agent o	fowner				
Last name	First name		Corporation o	or partners	ship				
Street address					Unit number	Lot/con.			
Municipality	Postal code		Province	E-mail					
Telephone number	Fax			Cell nu	mber				
D. Owner (if different from applicant)									
Last name	First name		Corporation o	r partners	ship				
Street address	1		I		Unit number	Lot/con.			
Municipality	Postal code		Province	E-mail	1	1			
Telephone number	Fax			Cell nu	mber				

E. Builder (optional)								
Last name	First name	Corporation or	r partners	hip (if a	applicable	2)		
Street address	<u> </u>			l Init r	umber		ot/con	
				Onici	lamber		-00/0011.	
Municipality	Postal code	Province	E-mail					
Telephone number	Fax	·	Cell nur	nber				
F. Tarion Warranty Corporation (Ontario	New Home Warrant	v Program)						
i. Is proposed construction for a new hom <i>Plan Act</i> ? If no, go to section G.		Yes		No				
ii. Is registration required under the Ontar	io New Home Warranties			Yes		No		
III. If yes to (II) provide registration number	(s):							
G. Required Schedules	iows and takes responsi	hility for docign	activition					
i) Attach Schedule 2 where application is to com								
II) Attach Schedule 2 where application is to cons		epair a sewage s	system.					
H. Completeness and compliance with a	applicable law						1	
<ul> <li>i) This application meets all the requirements of Building Code (the application is made in the applicable fields have been completed on the schedules are submitted).</li> <li>Payment has been made of all fees that are reader of all fees that areader of all fees that are reader of all fees th</li></ul>	clauses 1.3.1.3 (5) (a) to correct form and by the o application and required	o (d) of Division owner or authori I schedules, and	C of the zed agen d all requir	t, all red		Yes		No
regulation made under clause 7(1)(c) of the E is made.	Suilding Code Act, 1992, to	o be paid when	the applic	ation		Yes		No
ii) This application is accompanied by the plans and specifications prescribed by the applicable by-law, resolution or regulation made under clause 7(1)(b) of the <i>Building Code Act, 1992.</i>								No
iii) This application is accompanied by the information and documents prescribed by the applicable by- law, resolution or regulation made under clause 7(1)(b) of the <i>Building Code Act, 1992</i> which enable the chief building official to determine whether the proposed building, construction or demolition will contravene any applicable law.						No		
iv) The proposed building, construction or demol	ition will not contravene a	any applicable la	aw.			Yes		No
I. Declaration of applicant								
						doolo	re thet	
(print name)							tre that:	
<ol> <li>The information contained in this applic documentation is true to the best of my</li> <li>If the owner is a corporation or partners</li> </ol>	ation, attached schedule knowledge. hip, I have the authority t	s, attached plan to bind the corpo	s and spe pration or	ecificati partne	ons, and rship.	other	attached	
Date	Signature of a	applicant						

Personal information contained in this form and schedules is collected under the authority of subsection 8(1.1) of the *Building Code Act, 1992*, and will be used in the administration and enforcement of the *Building Code Act, 1992*. Questions about the collection of personal information may be addressed to: a) the Chief Building Official of the municipality or upper-tier municipality to which this application is being made, or, b) the inspector having the powers and duties of a chief building official in relation to sewage systems or plumbing for an upper-tier municipality, board of health or conservation authority to whom this application is made, or, c) Director, Building and Development Branch, Ministry of Municipal Affairs and Housing 777 Bay St., 2nd Floor. Toronto, M5G 2E5 (416) 585-6666.

# **Schedule 1: Designer Information**

Use one form for each individual who reviews and takes responsibility for design activities with respect to the project.

A. Project Information									
Building number, street name				Unit no.	Lot/con.				
Municipality	Postal code	Plan number/ othe	r descripti	ion	· ·				
B. Individual who reviews and takes	responsibili	ty for design activ	vities						
Name	-	Firm							
Street address				Unit no.	Lot/con.				
Municipality	Province	E-mail							
Telephone number	Fax number		Cell nur	mber					
C. Design activities undertaken by individual identified in Section B. [Building Code Table 3.5.2.1. of Division C]									
House	HVAC -	– House		Building S	tructural				
Small Buildings	Building	g Services		Plumbing	– House				
Large Buildings	Detecti	on, Lighting and Pow	/er	Plumbing	– All Buildings				
Complex Buildings	Fire Pro	otection		On-site Se	wage Systems				
Description of designer's work									
D. Declaration of Designer									
1			dec	clare that (choose	one as appropriate):				
(print page				(					
(print hand	•)								
I review and take responsibility C, of the Building Code. I am of Individual BCIN:	/ for the design qualified, and th	work on behalf of a f e firm is registered, in	irm registon n the appo	ered under subse ropriate classes/c	ction 3.2.4.of Division ategories.				
Firm BCIN:									
I review and take responsibility for the design and am qualified in the appropriate category as an "other designer" under subsection 3.2.5.of Division C, of the Building Code. Individual BCIN:									
Basis for exemption from	registration:								
The design work is exempt from the registration and qualification requirements of the Building Code. Basis for exemption from registration and qualification:									
I certify that:	5	•							
1 The information contained in this se	chedule is true t	to the best of my kno	wledge						
2. I have submitted this application wi	th the knowledg	ge and consent of the	e firm.						
Date		Signature of Designe	er						

1. For the purposes of this form, "individual" means the "person" referred to in Clause 3.2.4.7(1) d).of Division C, Article 3.2.5.1. of Division C, and all other persons who are exempt from qualification under Subsections 3.2.4. and 3.2.5. of Division C.

2. Schedule 1 is not required to be completed by a holder of a license, temporary license, or a certificate of practice, issued by the Ontario Association of Architects. Schedule 1 is also not required to be completed by a holder of a license to practise, a limited license to practise, or a certificate of authorization, issued by the Association of Professional Engineers of Ontario.



## The Corporation of the Town of Fort Erie 1 Municipal Centre Drive Fort Erie, Ontario, L2A 2S6 Telephone: 905-871-1600 Facsimile: 905-871-6411 www.forterie.ca

# **APPLICATION FOR UTILITY METER**

PROPERTY INFORMATION									
Street Name:		House No. / Lot No.:							
Concession or Plan No:									
Description of Location:	(i.e. North/South/East/West Side of Road and/or near intersect	ion and/or next to)							
Owner Name:									
Owner Address:									
Owner Telephone:		Email:							
Applicant Name: (If different than Owner)									
Applicant Address:									
Applicant Telephone:		Email:							

ACKNOWLEDGEMENT AND ACCEPTANCE								
BY MY SIGNATURE BELOW, I HEREBY AGREE TO PAY ALL FEES IN ADVANCE AND WHERE THE TOWN COSTS EXCEED ANY DEPOSITS, I HEREBY AGREE TO PAY BALANCE WITHIN THIRTY (30) DAYS FROM DATE OF INVOICE. I ALSO, HEREBY AGREE TO HAVE THE WATER METER AND REMOTE READER INSTALLED BY AN ADDROVED PLUMBER								
Signature of								
Owner/Applicant:								
Date:								

## CONDITIONS OF PERMIT APPLICATION SUBMISSION

Please allow five (5) business days before picking up meter. Meters are to be picked up at the Gibson Centre, 1818 Pettit Road, Fort Erie, ON L2A 5M4.

A flat fee will be paid upon submission for application of building permit. This fee covers the cost of water used during new construction for a maximum period of **90 days** after the issuance of the building permit. You will need to contact the Building Department to arrange for the certification of the meter. Should certification not be done prior to this date, the monthly flat rate fee for water and sewer will be applied.

	FOR OFFICE USE ONLY									
Anniastian Dum			New Meter	Roll Number:						
Application Pur	Meter Replacement Account Number									
					Meter(s) Requested:					
			Water and Sewer							
Account Type:			Water							
		Sewer								
			FEE CALCUI	ATION						
Pit Required:		Yes No		Amount:						
Other:				Amount:						
				Sub Total:						
				HST (13%):						
				Grand Total:						



### The Corporation of the Town of Fort Erie 1 Municipal Centre Drive Fort Erie, Ontario, L2A 2S6 Telephone: 905-871-1600 Facsimile: 905-871-6411 www.forterie.ca

# **APPLICATION FOR UTILITY METER**

METER DETAILS (TO BE COMPLETED BY TOWN OF FORT ERIE WATER/WASTEWATER DEPARTMENT)										
BUILDING DEPARTMENT										
METER REC	QUESTED:	5/8" x 3/4" T10	5/8" x 3/4" T10 R-900i E-coder							\$430.53
UTILITIES – WATER/WASTEWATER										
Serial Num	ber:				R	egister ID:				
				Comp	leted By:		-			
				METER PI	CK-UP					
Pick Up Da	te:				Picked	Up By:				
					Registe	red By:				
METER CERTIFICATION										
Seal No:			Reading	g:			Date:			
				Certified By:						
			CORPOR	ATE SERVICES	– WATER	BILLING				
Meter ID:				Processed By	:					

## Service Installation Permits – where applicable

Every Owner wishing to contract with a qualified contractor to install and construct a water service connection shall complete and submit an application to the Infrastructure Services Department together with a non-refundable inspection fee established by the Town by bylaw from time to time.

The application form can be found at <u>https://forterie.ca/pages/EngineeringDivision</u> under 'Permits'. If you submit your application on an older form, we will return it to you and ask you to resubmit using the newest version of the form.

# Energy Efficiency Design Summary: Prescriptive Method (Building Code Part 9, Residential)

This form is used by a designer to demonstrate that the energy efficiency design of a house complies with the building code using the prescriptive method described in Subsection 3.1.1. of SB-12. This form is applicable where the ratio of gross area of windows/sidelights/skylights/glazing in doors and sliding glass doors to the gross area of peripheral walls is not more than 22%.

For use by Principal Authority								
Application No:			Model/	Certification Number				
A. Project Information								
Building number, street name					Unit number	Lot/Con		
Municipality	Postal o	code	Reg. PI	an number / other des	cription			
B. Prescriptive Compliand	Ce [indicate the	building code c	ompliance	package being en	nployed in this house o	design]		
SB-12 Prescriptive (input design	package): P	ackage:		Ta	ble:	_		
C. Project Design Condition	s							
Climatic Zone (SB-1):	Heating Eq	uipment Effi	ciency	Space Heatin	g Fuel Source			
Zone 1 (< 5000 degree days)	□ ≥ 92% AF	UE		□ Gas	Propane	Solid Fuel		
□ Zone 2 (≥ 5000 degree days)	□ ≥ 84% < 9	92% AFUE		🗆 Oil	Electric	Earth Energy		
Ratio of Windows, Skylights & Glass	s (W, S & G) to	o Wall Area		Other Buildin	g Characteristics			
Area of walls =m <sup>2</sup> orft <sup>2</sup> W, S & G % =         W, S & G % = $\Box$ Log/Post&Beam $\Box$ ICF Above Grade $\Box$ ICF $\Box$ Slab-on-ground $\Box$ Walkout Basement $\Box$ Air Conditioning $\Box$ Combo Unit						Grade □ ICF Basement sement t		
Area of W, S & G = $m^2$ or $ft^2$ Utilize window averaging: $\Box$ Yes $\Box$ No $\Box$ Air Sourced Heat Pump (ASHP) $\Box$ Ground Sourced Heat Pump (GSHP)								
D. Building Specifications [p	rovide values an	d ratings of the	energy ef	ficiency componer	ts proposed]			
Energy Efficiency Substitutions								
□ ICF (3.1.1.2.(5) & (6) / 3.1.1.3.(5) &	(6))							
Combined space heating and dome	stic water heat	ting systems	(3.1.1.2.(	7) / 3.1.1.3.(7))				
□ Airtightness substitution(s)								
□ Table	3.1.1.4.B Red	quired:		Per	nitted Substitution:			
Airtightness test required (Refer to Design Guide Attached)   Table	3.1.1.4.C Red	quired:		Permitted Substitution:				
	Red	uired:		Per	nitted Substitution:			
Building Component	Minimum R or Maximu	SI / R values m U-Value <sup>(1)</sup>		Building Cor	nponent	Efficiency Ratings		
Thermal Insulation	Nominal	Effective	Windo	ws & Doors	rovide U-Value <sup>(1)</sup> or ER	rating		
Ceiling with Attic Space			Window	ws/Sliding Glas	s Doors			
Ceiling without Attic Space			Skyligh	its/Glazed Roc	fs			
Exposed Floor			Mecha	nicals				
Walls Above Grade			Heating Equip.(AFUE)					
Basement Walls			HRV Efficiency (SRE% at 0°C)					
Slab (all >600mm below grade)	1		DHW H	leater (EF)				
Slab (edge only ≤600mm below grade) DWHR (CSA B55.1 (min. 42% efficiency))						# Showers		
Slab (all ≤600mm below grade, or beated)		Combined Heating System						
(1) U value to be provided in either W/(m <sup>2</sup> • <b>E. Designer(s)</b> [name(s) & BCIN(s	ا <) or Btu/(h•ft <sup>2</sup> •F) ), if applicable, o	) but not both. f person(s) prov	ı viding infor	mation herein to s	ubstantiate that design	n meets the building code]		

damed Designer Declaration of designer to have reviewed and take responsibility for the design work.									
Name	BCIN	Signature							

# Guide to the Prescriptive Energy Efficiency Design Summary Form

This form must accurately reflect the information contained on the drawings and specifications being submitted. Refer to Supplementary Standard SB-12 for details about building code compliance requirements. Further information about energy efficiency requirements for new buildings is available from the provincial building code website or the municipal building department.

The building code permits a house designer to use one of four energy efficiency compliance options:

- 1. Comply with the <u>SB-12 Prescriptive</u> design tables (this form is for this option (Option 1)),
- 2. Use the <u>SB-12 Performance</u> compliance method, and model the design against the prescriptive standards,
- 3. Design to *Energy Star,* or
- 4. Design to R2000 standards.

#### COMPLETING THE FORM

#### **B.** Compliance Options

Indicate the compliance option being used.

• <u>SB-12 Prescriptive</u> requires that the building conforms to a package of thermal insulation, window and mechanical system efficiency requirements set out in Subsection 3.1.1. of SB-12. Energy efficiency design modeling and testing of the building is not required under this option. Certain substitutions are permitted. In which case, the applicable airtightness targets in Table 3.1.1.4.A must be met.

#### C. Project Design Conditions

*Climatic Zone:* The number of degree days for Ontario cities is contained in Supplementary Standard SB-1 *Windows, Skylights and Glass Doors:* If the ratio of the total gross area of windows, sidelights, skylights, glazing in doors and sliding glass doors to the total gross area of walls is more than 17%, higher efficiency glazing is required. If the ratio is more than 22%, the *SB-12 Prescriptive* option may not be used. The total area is the sum of all the structural rough openings. Some exceptions apply. Refer to 3.1.1.1. of SB-12 for further details. *Fuel Source and Heating Equipment Efficiency:* The fuel source and efficiency of the proposed heating equipment must be specified in order to determine which <u>SB-12 Prescriptive</u> compliance package table applies. *Other Building Conditions:* These construction conditions affect <u>SB-12 Prescriptive</u> compliance requirements.

#### **D. Building Specifications**

*Thermal Insulation*: Indicate the RSI or R-value being proposed where they apply to the house design. Under the <u>SB-12 Prescriptive</u> option, alternative ICF wall insulation is permitted in certain conditions where other design elements meet higher standards. Refer to SB-12 for further details. Where effective insulation values are being used, the Authority Having Jurisdiction may require supporting documentation.

#### BUILDING CODE REQUIREMENTS FOR AIRTIGHTNESS IN NEW HOUSES

All houses must comply with increased air barrier requirements in the building code. Notice of air barrier completion must be provided and an inspection conducted prior to it being covered.

The air leakage rates in Table 3.1.1.4.A are not requirements. This provision is a voluntary provision for when credits for airtightness are claimed. Credit for air tightness allows the designer to substitute the requirements of compliance packages as set out in Table 3.1.1.4.B or 3.1.1.4.C. Neither the air leakage test nor compliance with airtightness targets given in Table 3.1.1.4.A are required, unless credit for airtightness is claimed. Table 3.1.1.4.A provides airtightness targets in three different metrics; ACH, NLA, NLR. Any one of them can be used. OBC Reference Default Air Leakage Rates (Table 3.1.1.4.A)

Duilding Turne	Airtightness Targets									
Building Type	ACH @ 50 Pa	NLA @	10 Pa	NLR @ 50 Pa						
Detached dwelling	2.5	1.26 cm <sup>2</sup> /m <sup>2</sup>	1.81 in <sup>2</sup> /100ft <sup>2</sup>	0.93 L/s/m <sup>2</sup>	0.18 cfm50/ft <sup>2</sup>					
Attached dwelling	3.0	2.12 cm <sup>2</sup> /m <sup>2</sup>	3.06 in <sup>2</sup> /100ft <sup>2</sup>	1.32 L/s/m <sup>2</sup>	0.26 cfm50/ft <sup>2</sup>					

The building code requires that a blower door test be conducted to verify the air tightness of the house during construction if the <u>SB-12 Prescriptive</u> option with airtightness credit being applied. Results of the airtightness test may need to be submitted to the Authority Having Jurisdiction. Airtightness of less than 2.5 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of detached houses, or 3.0 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of attached houses is necessary to meet the required energy efficiency standard.

#### E. House Designer

The building code requires designers providing information about whether a building complies with the building code to have a BCIN. Exemptions apply to architects, engineers and owners designing their own house.



# **Radon Mitigation**

Property Address\_

As required in the Ontario Building Code, Article 9.13.4.1. "Soil Gas Control", where the proposed construction of a house, semi-detached house, townhouse or residential addition includes a floor system in direct contact with the ground Radon Mitigation is required to be addressed in conformance with MMAH Supplementary Standard SB-9, "Requirements for Soil Gas Control".

Please indicate which of the three Radon Mitigation methods will be utilized:

## □ Soil Gas Barrier System

- 6 mil poly under concrete floor
- 6 mil poly between concrete floor and separate floor over the slab
- Perimeter of concrete slab and all penetrations through the slab shall be sealed

### □ Subfloor Depressurization, (Rough-in only)

- Minimum 100 mm (4") pipe installed at or near center of floor area
- Increase amount of granular under the floor at pipe inlet location
- Pipe to extend above floor with removable seal pipe must be clearly labelled for removal of soil gas

<u>Note:</u> When Subfloor Depressurization is roughed-in only. testing for Radon is required once the home is occupied. Testing must occur over the winter months for a period not less that 91 days. The test results must be submitted to the Town of Fort Erie If the test results exceed Ministry tolerances a full depressurization system <u>must</u> be installed.

\* Please note that the building permit file will remain active until test results are received and no further construction is required.

## **Subfloor Depressurization, (Full installation)**

- Minimum 100 mm (4') pipe installed at or near centre of floor area
- Increase amount of granular under the floor at pipe inlet location
- Pipe extended to exterior of the building
- System must include an in-line fan

Signature of Applicant:

Date: